

# Mooyuk Lite (MPLS Open)



**Oil Pattern Distance:** 41 Feet      **Reverse Brush Drop:** 41 Feet      **Oil Per Board:** 50 uL  
**Forward Oil Total:** 12.65 mL      **Reverse Oil Total:** 12.1 mL      **Volume Oil Total:** 24.75 mL  
**Forward Boards Crossed:** 253 Boards      **Reverse Boards Crossed:** 242 Boards      **Total Boards Crossed:** 495 Boards

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	2	10	74	0.0	1.4	1.4	3700
2	9L	9R	2	10	46	1.4	4.2	2.8	2300
3	10L	10R	2	14	42	4.2	8.1	3.9	2100
4	11L	11R	3	14	57	8.1	14.0	5.9	2850
5	12L	12R	2	18	34	14.0	19.1	5.1	1700
6	2L	2R	0	18	0	19.1	32.0	12.9	0
7	2L	2R	0	26	0	32.0	36.0	4.0	0
8	2L	2R	0	30	0	36.0	41.0	5.0	0

◀ ▶ ▶▶ ▶▶▶ Forward Reverse More


	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	41.0	35.0	-6.0	0
2	12L	12R	3	18	51	35.0	27.4	-7.6	2550
3	11L	11R	3	18	57	27.4	19.8	-7.6	2850
4	10L	10R	3	14	63	19.8	13.9	-5.9	3150
5	9L	9R	2	14	46	13.9	10.0	-3.9	2300
6	8L	8R	1	14	25	10.0	8.1	-1.9	1250
7	2L	2R	0	10	0	8.1	0.0	-8.1	0

◀ ▶ ▶▶ ▶▶▶ Forward Reverse More

Conditioner:  
Offense HV


TransferType:  
Transfer Brush


- Forward
- Reverse
- Combined
- Buff



This Pattern Up Loaded From Slot # 1 In Lane Machine On 10/28/2010 10:58 PM

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	11.5	1.83	1	1	1.83	11.5





Left 90°

Left 45°

Front 0°

Front 45°

Overhead


Right 90°

Right 45°

# Brunswick Computer Lane Monitor™ Lane Dressing Analysis System

	Center Name	Lane #	Distance	Date	Comment
1	New Hope Bowl	1	20.0	1/6/2012	Open Tournament shot
2	New Hope Bowl	1	36.0	1/6/2012	Open Tournament shot

	1	2
L2	5.6	4.4
L3	6.3	4.5
L4	6.1	4.5
L5	5.3	4.4
L6	5.7	5.1
L7	6.6	5.4
L8	9.0	7.3
L9	14.8	12.9
L10	30.0	22.7
L11	42.1	29.1
L12	60.5	32.6
L13	56.5	31.6
L14	58.0	30.4
L15	64.2	33.3
L16	67.1	32.5
L17	66.9	32.5
L18	71.1	30.1
L19	65.3	30.2
C20	66.3	32.4
R19	72.8	30.3
R18	66.6	28.8
R17	69.2	30.0
R16	63.5	30.7
R15	68.4	30.9
R14	67.3	27.4
R13	64.2	31.2
R12	60.3	32.2
R11	60.6	32.0
R10	43.1	24.1
R9	28.1	18.8
R8	15.0	10.2
R7	8.5	6.1
R6	5.6	4.2
R5	6.7	5.4
R4	5.7	4.6
R3	5.7	4.8
R2	5.1	4.1



First Tape Reading  
10 Pin Side

7 Pin Side